

# Tate RMG600+ Access Floor Panel



Tate  
Manufactured in Hull, UK

## Materials Facts

Declared unit1 piece x RMG600+ Access Floor Panel

### Materials

Chipboard, Steel	73%, 27%
------------------	----------

### Carbon (Based on EPD)

Manufacturing, Fossil (A1-A3)	6.88 kg CO <sub>2</sub> e
End of Life, Fossil (C1-C4)	0.2711 kg CO <sub>2</sub> e
Sequestered / Biogenic (A1-A3)	-11.9 kg CO <sub>2</sub> e

### Circularity

Recycled Content	91.0%
Take-Back Service	Yes
Expected Lifespan	25 years
End-of-life Management	Components recycled separately
Reuse	Depending on Contractor

### Technical characteristics

Dimensions	600x600mm
Floor Void Height	25mm to 1200mm

### Material Properties

Total VOC	8.6 µg/m³
++ Free from REACH restricted substances list	
Fire Performance	EN13501:1 Bfl-s1 / EN13502:2 REI30r
U-Value	4.0 W/m2K
Acoustic Performance	Impact 67 dB / Airborne 43dB

### Certifications

Cradle to Cradle Certified® & Material Health Silver
Health Product Declaration
Indoor Air Comfort Gold
Environmental Product Declaration (EN 15804+A2 & ISO 14025)